

		T ₃ ng mL ⁻¹	T ₄ ng mL ⁻¹	T ₃ / T ₄	Hemoglobin g dL ⁻¹	Hematocrit %
Incubation conditions, IC ^d	C	0.51 ^c	5.58 ^{bc}	0.098 ^{ab}	11.40 ^a	36.11 ^c
	O _{0–11}	0.48 ^c	6.91 ^a	0.063 ^b	9.35 ^c	36.70 ^{bc}
	O _{12–21}	0.78 ^a	6.94 ^a	0.112 ^a	8.57 ^d	32.00 ^d
	O _{18–21}	0.46 ^c	5.27 ^c	0.090 ^{ab}	10.65 ^b	38.40 ^{bc}
	H _{0–11}	0.81 ^a	7.86 ^a	0.103 ^{ab}	9.01 ^{cd}	37.77 ^{bc}
	H _{12–21}	0.63 ^b	6.21 ^{ab}	0.110 ^a	12.62 ^a	43.03 ^a
	H _{18–21}	0.75 ^{ab}	7.19 ^a	0.106 ^a	11.49 ^a	39.49 ^{ab}
	SEM	0.04	0.58	0.007	0.43	1.64
Sex	Female	0.62	6.04 ^b	0.101	10.69	37.82
	Male	0.63	7.08 ^a	0.094	10.66	37.47
	SEM	0.03	0.32	0.005	0.31	1.27
<i>P</i> value	IC	< 0.001	0.012	0.003	0.026	0.048
	Sex	0.152	0.026	0.364	0.939	0.850
	IC × Sex	0.799	0.718	0.196	0.233	0.939