

VN	Ridge		LASSO		ALASSO ( $\gamma = 0.5$ )		ALASSO ( $\gamma = 1$ )	
	Coefficients	Standardized coefficients	Coefficients	Standardized coefficients	Coefficients	Standardized coefficients	Coefficients	Standardized coefficients
FW	$3.767 \pm 1.373$	0.273	$4.570 \pm 2.285$	0.330	$4.556 \pm 0.88$	0.330	$4.564 \pm 0.984$	0.331
EL	$-0.108 \pm 0.438$	-0.024	$-0.204 \pm 0.158$	-0.047	$-2.135 \pm 0.106$	-0.047	$-0.241 \pm 0.131$	-0.053
HL	$0.462 \pm 0.739$	0.0644	$0.703 \pm 0.578$	0.100	$0.727 \pm 0.606$	0.100	$0.742 \pm 0.551$	0.103
CW	$-0.024 \pm 0.876$	-0.003	-	-	-	-	-	-
RH	$0.265 \pm 0.184$	0.118	-	-	-	-	-	-
WH	$0.796 \pm 0.209$	0.796	$1.623 \pm 0.557$	0.826	$1.802 \pm 0.353$	0.917	$1.928 \pm 0.331$	0.981
BH	$-0.007 \pm 0.203$	-0.003	$-0.362 \pm 0.192$	-0.173	$-0.527 \pm 0.369$	-0.249	$-0.637 \pm 2.408$	-0.305
CD	$-0.371 \pm 0.508$	-0.091	$-0.951 \pm 0.831$	-0.234	$-0.1.022 \pm 1.753$	-0.252	$-1.125 \pm 0.571$	-0.277
CG	$0.674 \pm 0.223$	0.378	$0.769 \pm 0.204$	0.432	$0.771 \pm 0.292$	0.433	$0.797 \pm 0.345$	0.448
BL	$0.096 \pm 0.325$	0.036	-	-	-	-	-	-